

ROCKVILLE VOLUNTEER FIRE DEPT.

APPARATUS COMMITTEE



TOWER LADDER 703

2019 Seagrave Aerialscope

2-19-2008

DRAFT VERSION

Final revision to be published on or before 10/31/2019

Tools & Equipment

Driver's Side Cab Access Compartment



Top Shelf

N95 Masks / Decon Wipes

Flares

Fire Line Tape

Bottom Shelf

Electric Cab Tilt control

Manual Cab Tilt lever


Safety in the Neighborhood Bag

Driver's Side Forward Body - UPPER



Main Outrigger Controls -
NO EQUIPMENT STORAGE

Driver's Side Forward Body - LOWER



Collapsible Cones

Driver's Side – Compartment 1

Lighting

Note: Circuit Breaker located in this compartment



A - (2) Whelen LF35 – Battery Powered Scene Lights.

B - (5) Pig Tail Electrical Adapters

C - (2) 120v Fluorescent Work lights

D -200' Cord Reel with Halogen Light

E -High Rise Light Bag

F - (1) 50' & (1) 60' Extension Cord

E- High Rise Light Bag:

(1) Junc-a-light

(1) 500w Portable Flood light.



Driver's Side – Compartment 2

Large Hand Tools

TOP Tray



BOTTOM Tray



TOP Tray

Duck Bill Lock Breaker
24" & 18" Pipe Wrenches
Pick-head Axe
24" Bolt Cutters
Hydrant Wrench
Crow-Bar
Pry-Bar

Bottom Tray

10lb Sledge Hammer
12lb Sledge Hammer
4' Eagle Hook
(Universal & Boston Rake)
4' Georgia Hook
(Drywall & NY Roof)

Driver's Side – Compartment 3

Ropes & Rigging



A – Class III Rescue Harnesses .

B – (2) 150' Bags of [Sterling VerGo Load Line](#) – “Utility Rope”

YELLOW BAGS – White Rope

½” Tower Hauling Rope – Core: Polyester / Sheath: Polyester

Min. Breaking Strength Rating: 9,500lbs / Avg. Breaking Strength: 10,200lbs

C – (2) 300' Bags of [Sterling HTP](#) Rescue Rope

Green Bags – Yellow/Blue Rope

½” (12.5mm) Static Rope – Core: Polyester / Sheath: Polyester

Min. Breaking Strength Rating: 9,081lbs / Avg. Breaking Strength Rating: 10,031lbs

D – (2) SAR PACKS (RESCUE/RIGGING) containing 200' of [Sterling HTP](#) Rescue Rope

Green Bags – Black/Neon Green Rope

½” (12.5mm) Static Rope – Core: Polyester / Sheath: Polyester


Min. Breaking Strength Rating: 9,081lbs / Avg. Breaking Strength Rating: 10,031lbs

For detailed contents of SAR Pack hardware, see Tower 703 Inventory Checklist

NOT VISIBLE – Top Shelf – [LSP Half Back Extraction Lift Harness](#)

Driver's Side – Compartment 4

Ventilation / Water Supply



A – Roof Kit.

B – Salvage Covers

C – 25' of 5" Supply Line

D – Hurst StrongArm Forcible Entry Tool w/Hydra-Ram Tips

- StrongArm Battery Charger

- Extra Battery (on charger)

- StrongArm Spreader Tips

E – K12 Rescue Saw w/ Warthog Blade

F – Cutters Edge Vent Saw

G – (2) BatFan Battery Powered PPV Fans

H – Electric Smoke Ejector

I – 2.5" Female to 5" Stortz Clappered Siamese

J – 4" Stortz to 5" Stortz Clappered Siamese

Relief Valve set at 200psi

NOT YET INSTALLED – Hanging Bracket for Smoke Ejector

Driver's Side – Compartment 5

Driver / R.I.T.



A – Streamlight Vulcan 180

B – Driver's Gear

C – Driver's SCBA

D – Hydra-Ram II

E – R.I.T. Pack

F – Set of Irons


- 8lb Flat Head Axe

- Haligan Bar

NOT VISIBLE –

R-TOOL KIT


REAR LADDER STORAGE



- A – 10' All Purpose Hook
- B – 12' All Purpose Hook
- C – 16' Roof Ladder (Alcoa)
- D – 35' Extension Ladder – 2 Section (Duo-Safety)
- E – 35' Extension Ladder – 2 Section (Duo-Safety)
- F – 28' Extension Ladder – 2 Section (Duo-Safety)
- G – 28' Extension Ladder – 2 Section (Duo-Safety)
- H – 16' Roof Ladder (Duo-Safety)
- I – 20' Roof Ladder (Alcoa)
- J – 8' NY Roof Hook
- K – 8' NY Roof Hook
- L – 10' Folding Attic Ladder

Officer's Side – Compartment 6

Fire Extinguishers / S.C.B.A.



A – 7th & 8th Riding Position (Vent Team) S.C.B.A.'s

B – 5 gallon bucket of granular absorbent

C – ABC Fire Extinguisher

D – CO₂ Fire Extinguishers

E – Pressurized Water Fire Extinguisher

F – Water Cooler



Officer's Side – Compartment 5

METRO



A – METRO BAG

B – W.A.S.D

C – 50' Air Hose


D – (2) Spare SCBA Cylinders

E – Spare O₂ Cylinder

NOT VISIBLE – SCBA Cylinder Air Regulator

Officer's Side – Compartment 4

Ventilation / Generators



A – K12 Rescue Saw w/ Metal Cutting Blade

B – Cutters Edge Vent Saw

C – Stihl Chainsaw

D – Gasoline Powered PPV Fan

E – (2) 1000w Gasoline Generators w/ fixed 500w light

F – Saw Maintenance Kit

NOT VISIBLE –

- Mixed Fuel and Straight Gas cans
- Spare Saw Blades

Officer's Side – Compartment 3

E.M.S. / Water Rescue



A – SKED Rescue Stretcher

B – Ring Buoy

C – (2) Water Rescue Bags

D – (2) Trauma Care Bags

E – Extrication Bag

F – Triage Kit

G – A.E.D.

H – BLS Jump Bag

Officer's Side – Compartment 2

Small Hand Tools



A – Air Kit

B – Socket Kit

C – Lock-out Tagout

D – Milwaukee Battery Powered Tools

- Drill
- Impact Drill
- Sawzall
- Grinding Wheel
- Circular Saw
- Flashlight

E – Milwaukee Kit

For detailed contents of Tool Kits, see Tower 703 Inventory Checklist

Officer's Side – Compartment 1

Lighting



A - 200' Cord Reel with Halogen Light

B - (5) Pig Tail Electrical Adapters

C - (2) Whelen LF35 – Battery Powered Scene Lights.

D – Milwaukee 12v Battery Charger and spare batteries

E -High Rise Light Bag

F - (1) 50' & (1) 60' Extension Cord

E- High Rise Light Bag:

(1) Junc-a-light

(1) 500w Portable Flood light.



Officer's Side Forward Body



Officer side only Outrigger Controls -
Tool Bag

DRAFT

Officer's Side Cab Access Compartment



Gas Meters

Inside Crew Cab



A – Hydra-Ram I

B – Bolt Cutters

C – (2) Big Easy Lock-out kits

D – Elevator Poles

NOT VISIBLE

Set of Irons

- 8lb Flat Head Axe

- Haligan Bar


(8) FireCom Headsets

(5) Streamlight Vulcan 180 Flashlights

(5) S.C.B.A.


Bullard Thermal Imager (OIC Seat)

Dunnage Area



- A – (4) Step Chocks
- B – Standpipe Pack
-150' 1½" Attack Line w/
150gpm break-a-way nozzle
w/ **RED Tip**
- C – Salvage Buckets
- D – Broom
- E – (2) Spade Shovels
- F – Square Shovel
- G – (4) Scoop Shovels
- H – T-Handle Gas Shut-off

Exterior Mounted Equipment




OVER DS / OS Compartment 2

- A – Stokes Basket (DS deployed)
- B – (2) Tripod Lights (1 each side)
- C – (2) 200' Fixed Cord Reels w/ Junction Box (attached)

UNDER PLATFORM

- D – (2) 6' NY Roof Hook (DS deployed)
- E – 42" Haligan Bar (DS deployed)
- F – Stokes Basket Cradle Brackets



Exterior Mounted Equipment - (NOT PICTURED)

Front Bumper

(1) 6' Malvin Hook

Under Front of Turntable

(1) 5' Roof Hook (OS Deployed)

(1) 6' Tri-State Hook (OS Deployed)

(Boston & NY Roof)

(1) 6' Eagle Hook (DS Deployed)

(Universal & Boston Rake)

(1) 6' New Yorker Hook (DS Deployed) (Wood Handle)

NEAR Officer's Side LDH Intake

(1) Set of LDH Spanner Wrenches

(1) Set of NST Spanner Wrenches

(1) 4" Stortz to 5" Stortz Adapter

NEAR Officer's Side LDH INTAKE

(1) 4" Stortz to 5" Stortz Adapter

IN PLATFORM

(1) Pick-Head Axe (in compartment)

Miscellaneous Ladder Belts (in compartment)

(1) Elkhart Brass Master Stream Fog Nozzle

(1) Set of Standard Stack-tips – 1³/₈", 1¹/₂", 1³/₄", 2"

(1) 3.5" to 2.5" NST Stream Straightener

(1) 3.5" NST Stream Straightener (on monitor gun)

(1) 2³/₄" Smooth Boore tip with 3.5" NST threads (on monitor gun)

25' of 1¹/₂" Attack Line w/ 150gpm break-a-way nozzle w/ **ORANGE Tip** (attached to 2.5" connection below monitor gun)